



QUALITY COMPONENTRY


NET PRICE LIST

Effective 1st October 2011

ALL PRICES EXCLUDE GST

DROPPERS / CASTELLATED COLLAR / DROPPER CHUTE

Dropper	Code	Net Price
550 x 550 - 300 Long Plenum Application	SMD03P	\$ -
550 x 550 - 600 Long Plenum Application	SMD06P	\$ -
550 x 550 - 600 Long Plenum Application CB	SMD06P(C)	\$ -
550 x 550 - 900 Long 3 Way	SMD093	\$ -
550 x 550 - 900 Long 4 Way	SMD094	\$ -
550 x 550 - 900 Long Plenum Application	SMD09P	\$ -
550 x 550 - 900 Long Stop End	SMD09S	\$ -
550 x 550 - 900 Long 3 Way CB	SMD093(C)	\$ -
550 x 550 - 900 Long 4 Way CB	SMD094(C)	\$ -
550 x 550 - 900 Long Plenum Application CB	SMD09P(C)	\$ -
550 x 550 - 900 Long Stop End CB	SMD09S(C)	\$ -
550 x 550 - 1200 Long 3 Way	SMD123	\$ -
550 x 550 - 1200 Long 4 Way	SMD124	\$ -
550 x 550 - 1200 Long Plenum Application	SMD12P	\$ -
550 x 550 - 1200 Long Stop End Fitted	SMD12S	\$ -
550 x 550 - 1200 Long 3 Way Colour Bond	SMD123(C)	\$ -
550 x 550 - 1200 Long 4 Way Colour Bond	SMD124(C)	\$ -
550 x 550 - 1200 Long Plenum Application CB	SMD12P(C)	\$ -
550 x 550 - 1500 Long 3 Way	SMD153	\$ -
550 x 550 - 1500 Long 4 Way	SMD154	\$ -
550 x 550 - 1500 Long Plenum Application	SMD15P	\$ -
550 x 550 - 1500 Long Stop End Fitted	SMD15S	\$ -
550 x 550 - 1500 Long 3 Way Colour Bond	SMD153(C)	\$ -
550 x 550 - 1500 Long 4 Way Colour Bond	SMD154(C)	\$ -
550 x 550 - 1500 Long Plenum Application CB	SMD15P(C)	\$ -
550 x 550 - 2400 Long Plenum Application	SMD24P	\$ -
550 x 550 - 2400 Long Plenum Application CB	SMD24P(C)	\$ -
1165 x 585 - 1200 Long Plenum Application	SMDF12P	\$ -
1165 x 585 - 2400 Long Plenum Application	SMDF24P	\$ -
800 x 550 - 300 Long Plenum Application PGI	SMD03P80	\$ -
800 x 550 - 600 Long Plenum Application PGI	SMD06P80	\$ -
800 x 550 - 900 Long Plenum Application PGI	SMD09P80	\$ -
800 x 550 - 1200 Long Plenum Application PGI	SMD12P80	\$ -
800 x 550 - 1500 Long Plenum Application PGI	SMD15P80	\$ -
800 x 550 - 2400 Long Plenum Application PGI	SMD24P80	\$ -
*Dropper Extension 550x550x300	SMDE	\$ -



Raw Edge Dropper

450MM Styrene Lined


For Colour Bond Specify Colour

For dropper with 25mm Turn In add T1 to end of code

For Dropper with 25mm Turn Out add TO to end of code

CASTELLATED COLLAR / DROPPER CHUTE

Castellated Collar	Code	Net Price
150 MM Dia	SMCC15	\$ -
200 MM Dia	SMCC20	\$ -
250 MM Dia	SMCC25	\$ -
300 MM Dia	SMCC30	\$ -
350 MM Dia	SMCC35	\$ -
400 MM Dia	SMCC40	\$ -
450 MM Dia	SMCC45	\$ -
500 MM Dia	SMCC50	\$ -
550 MM Dia	SMCC55	\$ -




Dropper Chute	Code	Net Price
3 Way - Chute Only	SMDC3W	\$ -
3 Way - 600 Long	SMDC3	\$ -
3 Way - 600 Long Colour Bond	SMDC3(C)	\$ -
3 Way - 900 Long	SMDC390	\$ -
3 Way - 900 Long Colour Bond	SMDC390(C)	\$ -
4 Way - Chute Only	SMDC4W	\$ -
4 Way - 600 Long	SMDC4	\$ -
4 Way - 600 Long Colour Bond	SMDC4(C)	\$ -
4 Way - 900 Long	SMDC490	\$ -
4 Way - 900 Long Colour Bond	SMDC490(C)	\$ -
Duct Clip	IADCC	\$ -



STARTER SETS / DRAIN TRAYS / RETURN AIR

Unit Starter - 6-18 Kw - Formshield Insulated	Code	Net Price
Square To Round Starter	SMSSQRNDF	\$ -
Nose Cone Starter - 2 Collar	SMSNCF	\$ -
Nose Cone Starter - 3 Collar	SMSNC3F	\$ -
Box Type Starter	SMSBTF	\$ -



Unit Starter - 6-18 Kw - Styrene Insulated	Code	Net Price
Nose Cone Starter - 2 Collar	SMSNC	\$ -
Nose Cone Starter - 3 Collar	SMSNC3	\$ -
Box Type Starter	SMSBT	\$ -



Drain Tray	Code	Net Price
900 x 1300	SMDT0913	\$ -
1100 x 1100	SMDT1111	\$ -
1100 x 1400	SMDT1114	\$ -
1100 x 1700	SMDT1117	\$ -
P Trap 20mm	IAPT	\$ -
20 MM Conduit 4 Mtr Length	IAC20	\$ -




Return Air - Metal Grille	Code	Net Price
550 x 550 Neck Size	QFRAG5555	\$ -
Box 550 x 550 x 150 - Perf Foil Insulated	SMRAB5555	\$ -
Box 550 x 550 x 150 - Uninsulated	SMRAB5555U	\$ -
Box 550 x 550 x 600 - Perf Foil Insulated	SMRAB5555S	\$ -
600 x 400 Neck Size	QFRAG64	\$ -
Box 600 x 400 x 150 - Perf Foil Insulated	SMRAB64	\$ -
Box 600 x 400 x 150 - Uninsulated	SMRAB64U	\$ -
Box 600 x 400 x 600 - Perf Foil Insulated	SMRAB64S	\$ -
750 x 450 Neck Size (SA Only)	QFRAG7545	\$ -
Box 750 x 450 x 600 - Perf Foil Insulated	SMRAB7545S	\$ -
900 x 400 Neck Size	QFRAG94	\$ -
Box 900 x 400 x 150 - Perf Foil Insulated	SMRAB94	\$ -
Box 900 x 400 x 600 - Perf Foil Insulated	SMRAB94S	\$ -
900 x 550 Neck Size	QFRAG955	\$ -
Box 900 x 550 x 150 - Perf Foil Insulated	SMRAB95	\$ -
Box 900 x 550 x 600 - Perf Foil Insulated	SMRAB95S	\$ -
1150 x 550 Neck Size	QFRAG126	\$ -
Box 1150 x 550 x 150 - Perf Foil Insulated	SMRAB126	\$ -
Box 1150 x 550 x 600 - Perf Foil Insulated	SMRAB126S	\$ -

Specify Box Spigot Size

Return Air - Polymer Grille	Code	Net Price
390 x 515 Neck Size	PRAG5139	\$ -
390 x 515 Neck Size - with Filter	PRAG5139F	\$ -
Box 390 x 515 x 150 - Perf Foil Insulated	SMRAB5139	\$ -
Box 390 x 515 x 150 - Uninsulated	SMRAB5139U	\$ -
Box 390 x 515 x 600 - Perf Foil Insulated	SMRAB5139S	\$ -
Box 390 x 515 -300 / 350 Dia - Uninsulated Plastic	SMRAB5139P	\$ -
405 x 760 Neck Size	PRAG7640	\$ -
405 x 760 Neck Size- with Filter	PRAG7640F	\$ -
Box 405 x 760 x 150 - Perf Foil Insulated	SMRAB7640	\$ -
Box 405 x 760 x 150 - Uninsulated	SMRAB7640U	\$ -
Box 405 x 760 x 600 - Perf Foil Insulated	SMRAB7640S	\$ -

Specify Box Spigot Size



FLUE


Twin Skin	Code	Net Price
100 MM Dia 900 Long	IAF900	\$ -
100MM Cowl	IAFC	\$ -
100MM 45 Deg Adjustable Elbow	IAF45B	\$ -
100MM 90 Deg Adjustable Elbow	IAF90B	\$ -



4 ZERO PREMIUM DUCT

Fibre Glass Insulation 883 Aluminium Outer and Inner



25 MM Insulation 3 Metre Length		List Price
350 MM	4Z350	\$ -
400 MM	4Z400	\$ -




FLASHING / ANGLE / ISOLATION / PLATFORM

Flashing	Code	Net Price
3 Sided Tiled Roof Flashing Suit 550 x 550	SMFT	\$ -
3 Sided Metal Roof Flashing Suit 550 x 550	SMFM	\$ -
4 Piece Tiled Roof Flashing	SMF4PT	\$ -
4 Piece Tiled Roof Flashing Colour Bond	SMF4PT(C)	\$ -
4 Piece Metal Roof Flashing	SMF4PM	\$ -
4 Piece Metal Roof Flashing Colour Bond	SMF4PM(C)	\$ -
3 Sided Metal Roof Flashing Suit 1165 x 585	SMFTFM	\$ -
Upstand Flashing Suit 550 x 550	SMFU	\$ -
Over Flashing Suit 550 x 550	SMFO	\$ -
Upstand Flashing Suit 1165 x 585	SMFTFU	\$ -
Over Flashing Suit 1165 x 585	SMFTFO	\$ -
Lead 450 x 450 x 15Kg	SMFL45	\$ -
15 Kg Lead 900 x 1200	SMFL90	\$ -
15 Kg Lead 1200 x 1200	SMFL12	\$ -
Flashing Angle 50 x 175 x 2400 PGI	SMFSA	\$ -
Flashing Angle 50 x 175 x 2400 Colourbond	SMFSA(C)	\$ -

For Colour Bond Specify Colour




Angle - PGI	Code	Net Price
25 x 25 x 700 - 0.6 MM Register Angle	SMA2570	\$ -
50 x 50 x 2400 - 0.6	SMA06	\$ -
50 x 50 x 2400 - 1.0	SMA10	\$ -
50 x 50 x 2400 - 1.6	SMA16	\$ -
50 x 50 x 2400 - 2.0	SMA20	\$ -
50 x 50 x 2400 - 2.5	SMA25	\$ -
50 x 50 x 2400 - 3.0	SMA30	\$ -



Threaded Rod	Code	Net Price
10mm x 3mtr	IATR	\$ -
10mm Nut	IAN	\$ -
10mm Washer	IAW	\$ -

Isolation	Code	Net Price
Isolation Mount - 4 Per Set	IAIMS	\$ -
Waffle Pad 450 x 450 X 8 MM	IAWP	\$ -



Platform Materials	Code	Net Price
Particle Board 1200 x 600 x 18 MM	IAPB1260	\$ -
Fibro Sheet 1200 x 600 x 4.5 x 2	IAFS1260	\$ 49.96
PGI Sheet 1200 x 900 - 0.6 MM	SMTTPGIB	\$ -



Top Hat Section	Code	Net Price
1200 Long - No Pitch	SMTH301230	\$ -
1800 Long - No Pitch	SMTH301845	\$ -
2400 Long - No Pitch	SMTH302445	\$ -
1200 Long - 1-12 Degree Pitch	SMTH301230T	\$ -
1800 Long - 1-9 Degree Pitch	SMTH301845T	\$ -
2400 Long - 1-6 Degree Pitch	SMTH302445T	\$ -

3.0 MM PGI
Priced Individually
Other Sizes Priced on Request

BPR PREMIUM DUCT

Polyester Insulation Metallised Outer

25 MM Insulation 3 Metre Length				Net Price	
Duct			Y Duct		
150 MM	PR150	\$	-	RY15/xx/xx	\$ -
200 MM	PR200	\$	-	RY20/xx/xx	\$ -
250 MM	PR250	\$	-	RY25/xx/xx	\$ -
300 MM	PR300	\$	-	RY30/xx/xx	\$ -
350 MM	PR350	\$	-	RY35/xx/xx	\$ -
400 MM	PR400	\$	-	RY40/xx/xx	\$ -
450 MM	PR450	\$	-	RY45/xx/xx	\$ -
500 MM	PR500	\$	-	RY50/xx/xx	\$ -
550 MM	PR550	\$	-	RY55/xx/xx	\$ -
600 MM	PR600	\$	-	RY60/xx/xx	\$ -



25 MM Insulation 6 Metre Length				Net Price	
Duct			Y Duct		
150 MM	PR1506	\$	-	RY15/xx/xx6	\$ -
200 MM	PR2006	\$	-	RY20/xx/xx6	\$ -
250 MM	PR2506	\$	-	RY25/xx/xx6	\$ -
300 MM	PR3006	\$	-	RY30/xx/xx6	\$ -
350 MM	PR3506	\$	-	RY35/xx/xx6	\$ -
400 MM	PR4006	\$	-	RY40/xx/xx6	\$ -
450 MM	PR4506	\$	-	RY45/xx/xx6	\$ -

50 MM Insulation 3 Metre Length			Net Price	
Duct				
150 MM	PR15050			\$ -
200 MM	PR20050			\$ -
250 MM	PR25050			\$ -
300 MM	PR30050			\$ -
350 MM	PR35050			\$ -
400 MM	PR40050			\$ -
450 MM	PR45050			\$ -
500 MM	PR50050			\$ -
550 MM	PR55050			\$ -

50 MM Insulation 6 Metre Length			Net Price	
Duct				
150 MM	PR150650			\$ -
200 MM	PR200650			\$ -
250 MM	PR250650			\$ -
300 MM	PR300650			\$ -
350 MM	PR350650			\$ -
400 MM	PR400650			\$ -
450 MM	PR450650			\$ -

Y PIECE

Supa Y		Net Price
150 Base Size	SY15/xx/xx	\$ -
200 Base Size	SY20/xx/xx	\$ -
250 Base Size	SY25/xx/xx	\$ -
300 Base Size	SY30/xx/xx	\$ -
350 Base Size	SY35/xx/xx	\$ -
400 Base Size	SY40/xx/xx	\$ -
450 Base Size	SY45/xx/xx	\$ -
500 Base Size	SY50/xx/xx	\$ -
550 Base Size	SY55/xx/xx	\$ -
600 Base Size	SY60/xx/xx	\$ -

Quote Take Off Spigot Sizes



Flexible Y		Net Price
150 Base Size	QFY15xx/xx	\$ -
200 Base Size	QFY20/xx/xx	\$ -
250 Base Size	QFY25/xx/xx	\$ -
300 Base Size	QFY30/xx/xx	\$ -
350 Base Size	QFY35/xx/xx	\$ -
400 Base Size	QFY40/xx/xx	\$ -
450 Base Size	QFY45/xx/xx	\$ -
500 Base Size	QFY50/xx/xx	\$ -
550 Base Size	QFY55/xx/xx	\$ -
600 Base Size	QFY60/xx/xx	\$ -

Quote Take Off Spigot Sizes



COMFORT CONTROL SYSTEM

Control System	Code	Net Price
Comfort Control System Kit	QFCC	\$ -





Contents:

Wall touch keypad

Control Box

30m Control Cable



Mains Power Cable



Control System Accessories	Code	Net Price
Additional Touch Pad - inc 30m Cable	QFCKK	\$ -
Duct Sensor (Auto System Only)	QFCCD	\$ -
Zone Sensor - inc Housing & 6m Cable	QFCCS6	\$ -
Zone Sensor - inc Housing & 20m Cable	QFCCS20	\$ -
24v Adaptor Cable	QFMDACC	\$ -



"Fast Fit" Motorised Damper Insulated	Code	Net Price
200 Dia	QFMD20CC	\$ -
250 Dia	QFMD25CC	\$ -
300 Dia	QFMD30CC	\$ -
350 Dia	QFMD35CC	\$ -
400 Dia	QFMD40CC	\$ -
6m Extension Cable - inc Joiner	QFMDECC	\$ -
24v Adaptor Cable	QFMDACC	\$ -




Manual System = Control System (QFCC) + Dampers


Auto System = Control System (QFCC) + Duct Sensor (QFCCD) + Zone Sensors (QFCCS#) + Dampers

MANUAL DAMPERS

Manual Volume Damper	Code	Net Price
150 Dia	SMMVD15	\$ -
200 Dia	SMMVD20	\$ -
250 Dia	SMMVD25	\$ -
300 Dia	SMMVD30	\$ -
350 Dia	SMMVD35	\$ -
400 Dia	SMMVD40	\$ -
450 Dia	SMMVD45	\$ -
500 Dia	SMMVD50	\$ -
550 Dia	SMMVD55	\$ -



Manual Volume Damper - Blade Only	Code	Net Price
150 Dia	SMMVB15	\$ -
200 Dia	SMMVB20	\$ -
250 Dia	SMMVB25	\$ -
300 Dia	SMMVB30	\$ -
350 Dia	SMMVB35	\$ -
400 Dia	SMMVB40	\$ -
450 Dia	SMMVB45	\$ -
500 Dia	SMMVB50	\$ -



VENT PLASTIC


Ezyvent Kit	Code	Net Price
250 x 250 - 150 Dia	QFEV2515	\$ -
250 x 250 - 200 Dia	QFEV2520	\$ -
300 x 300 - 250 Dia	QFEV3025	\$ -
300 x 300 - 300 Dia	QFEV3030	\$ -
400 x 400 - 300 Dia	QFEV4030	\$ -
400 x 400 - 350 Dia	QFEV4035	\$ -
400 x 400 - 400 Dia	QFEV4040	\$ -
600 x 400 - 400 Dia	QFEV6440	\$ -
600 x 400 - 450 Dia	QFEV6445	\$ -
600 x 400 - 500 Dia	QFEV6450	\$ -



Downjet Gas Diffuser	Code	Net Price
150 Dia	QFJ15	\$ -
200 Dia	QFJ20	\$ -
250 Dia	QFJ25	\$ -






Round Refrigerative Diffuser	Code	Net Price
200 Dia	QFR20	\$ -
250 Dia	QFR25	\$ -
300 Dia	QFR30	\$ -



VENT METAL

1/2 Tile Diffuser	Code	Net Price
595 x 595	QFHTD	\$ -
MDA to suit	SMMDA45xx	\$ -
MDBFD to suit	SMMDBFD45xx	\$ -
Cushion Head to suit Insulated		
200 Dia	SMCHI4520	\$ -
250 Dia	SMCHI4525	\$ -
300 Dia	SMCHI4530	\$ -
350 Dia	SMCHI4535	\$ -
Cushion Head to suit Unisulated		
200 Dia	SMCH4520	\$ -
250 Dia	SMCH4525	\$ -
300 Dia	SMCH4530	\$ -
350 Dia	SMCH4535	\$ -



Wall Register	Code	Net Price
480 x 170	QFWR4817	\$ -
480 x 170 Box 350 Maximum Diameter	SMRB4717xx	\$ -
600 x 250	QFWR6025	\$ -
600 x 250 Box 450 Maximum Diameter	SMRB6025xx	\$ -
710 x 250	QFWR7125	\$ -
710 x 250 Box 550 Maximum Diameter	SMRB7125xx	\$ -



Specify spigot size for register box.

Linear Diffuser	Code	Net Price
550x95 x 2 slots	QFLD550	\$ -
1150x95 x 2 slots	QFLD1150	\$ -





Linear Diffuser Box	Code	Net Price
550x95	SMLD550	\$ -
1150x95	SMLD1150	\$ -



Specify spigot size for linear box.

PLENUM



Plenum	Code	Net Price
AGP 2 - 17000 CMH @ 7.5 M/S	QFPA2	\$ -





AGP 3 - 22500 CMH @ 7.5 M/S	QFPA3	\$ -
-----------------------------	-------	------




AGP 38 - 24500 CMH @ 7.5 M/S	QFPA38	\$ -
------------------------------	--------	------




AGP 4 - 36000 CMH @ 7.5 M/S	QFPA4	\$ -
-----------------------------	-------	------



Plenum Adaptor	Code	Net Price
Adaptor 2 - suit AGP 2	QFA2	\$ -




Adaptor 3 - suit AGP 3	QFA3	\$ -
------------------------	------	------



Adaptor 38 - suit AGP 38	QFA38	\$ -
--------------------------	-------	------



Adaptor 4 - suit AGP 4 1165 x 585 Dropper	QFA4	\$ -
---	------	------




MISCELLANEOUS

Duct Joining	Code	Net Price
Duct Tape - PVC 50MM x 30 Mtr Roll	IADT	\$ -
Venture Duct Tape 50mm x 30 Mtr Roll	IAFRT	\$ -
Venture Duct Tape Carton of 36 Rolls	IAFRTC	\$ -
Duct Clip	IADCC	\$ -




Sealant	Code	Net Price
Silicone Sealant 310g Tube	IASS	\$ -
Silicone Sealant Carton of 20 Tubes	IASSC	\$ -

Dropper Insert	Code	Net Price
3 Way	QFDI3	\$ -
4 Way	QFDI4	\$ -



Evaporative Air Relief Grille	Code	Net Price
600 x 400	QFARG1	\$ -



Hanging Tape	Code	Net Price
50 Mtr x 25 MM Wide	IAHT	\$ -

Mounting Base	Code	Net Price
Set 450mm (Outdoor Condenser Unit)	IAMB	\$ -
Set 800mm x 25mmx75mm x 75mm	SMMB80	\$ -
Set 900mm x 25mmx75mm x 75mm	SMMB90	\$ -

Transformer	Code	Net Price
240 - 24 Volt	QFTRAN	\$ -



FM1008/0311